

DUAL TRANSISTORS

Type No.	ID	P _D Watts One Die Only	V _{CE} Volts Subscript	I _C Amp Max.	h _{FE} @ Min.	I _C Unit	f _T MHz Min. Typ*	C _{ob} pF Max. Typ*	h _{FE1}	ΔV _{BE}	G _p	NF @ f	I _C Unit	Package			
									h _{FE2}	mV Max.	dB Min.	dB Max.		TO- No.	Case No.		
MD918	NF	0.55	A	15	0	0.05	50	3.0	m	600	1.7					654	
MD918A	NM	0.55	A	15	0	0.05	50	3.0	m	600	1.7	0.9	5.0			654	
MD918AF	NM	0.35	A	15	0	0.05	50	3.0	m	600	1.7	0.9	5.0		89	610	
MD1129F	NM	0.35	A	30	0	0.5	100	10	m	200	8.0	0.9	5.0	0.15	10	610	
MD2219	NG	0.575	A	30	0	0.5	100	150	m	200	8.0	60	350	0.4	10	654	
MD2219A	NG	0.575	A	30	0	0.5	100	150	m	200	8.0	45	310	0.3	10	654	
MD2219AF	NG	0.350	A	30	0	0.5	100	150	m	200	8.0	45	310	0.3	10	610	
MD2219F	NG	0.350	A	30	0	0.5	100	150	m	200	8.0	60	350	0.4	10	610	
MD2369	NS	0.55	A	15	0	0.5	40	10	m	500	4.0	15	20	0.25	10	654	
MD2369A	NM	0.55	A	15	0	0.5	40	10	m	500	4.0	0.9	5.0	0.25	10	654	
MD2369AF	NM	0.35	A	15	0	0.5	40	10	m	500	4.0	0.9	5.0	0.25	10	610	
MD2905	PG	0.575	A	40	0	0.6	100	150	m	200	8.0	45	130	0.4	10	654	
MD2905A	PG	0.575	A	60	0	0.6	100	150	m	200	8.0	45	130	0.4	10	654	
MD2905AF	PG	0.35	A	60	0	0.6	100	150	m	200	8.0	45	130	0.4	10	610	
MD3251	PA	0.575	A	40	0	0.20	100	1.0	m	250	6.0		0.25	10	10	654	
MD3251A	PM	0.575	A	40	0	0.20	100	1.0	m	250	6.0	0.9	5.0	0.25	10	654	
MD3251AF	PM	0.35	A	40	0	0.20	100	1.0	m	250	6.0	0.9	5.0	0.25	10	610	
MD6003	CA	0.575	A	30	0	0.5	70	150	m	200	8.0		0.4	10	150	654	
MD7000	NA	0.575	A	30	0	0.5	70	150	m	200	8.0		0.4	10	150	654	
MD7002	NA	0.575	A	40	0	0.03	40	100	u	200	6.0		0.35	10	10	654	
MD7003	NA	0.55	A	40	0	0.05	50	10	m	200	6.0		0.35	10	1.0	654	
MD7003A	NM	0.55	A	40	0	0.05	50	10	m	200	6.0	0.75	25	0.35	10	654	
MD8001	NM	0.575	A	40	0	0.03	100	1.0	m	260*	2.6*		15			654	
MD8002	NM	0.575	A	50	0	0.03	100	1.0	m	260*	2.6*		15			654	
MD8003	NM	0.575	A	60	0	0.03	100	1.0	m	260*	2.6*		15			654	
2N2060	NM	0.5	A	60	0	0.5	30	100	u	60	15	0.9	5.0		8.0	1000 H	78
2N2060A	NM	0.5	A	60	0	0.5	30	100	u	60	15	0.9	3.0	0.6	10	50 m	78
2N2223	NM	0.5	A	60	0	0.5	25	100	u	50	15	0.8	15	1.2	10	50 m	78
2N2223A	NM	0.5	A	60	0	0.5	25	100	u	50	15	0.9	5.0	1.2	10	50 m	78
2N2642	NM	0.3	A	45	0	0.03	100	10	u	80	8.0	0.9	5.0		4.0	AUD	78
2N2913	NE	0.3	A	45	0	0.03	60	10	u	60	6.0		5.0		4.0	AUD	654
2N2915	NM	0.3	A	45	0	0.03	60	10	u	60	6.0	0.9	5.0		4.0	AUD	654
2N2917	NM	0.3	A	45	0	0.03	60	10	u	60	6.0	0.8	10		4.0	AUD	654
2N2919	NM	0.3	A	60	0	0.03	60	10	u	60	6.0	0.9	5.0		4.0	AUD	654
2N2920	NM	0.3	A	60	0	0.03	150	10	u	60	6.0	0.9	5.0		3.0	AUD	654
2N3810	PM	0.5	A	60	0	0.05	150	0.1	m	100	4.0	0.9	3.0		7.0	100 H	654
2N3817A	PM	0.5	A	60	0	0.05	300	0.1	m	100	4.0	0.95	1.5		4.0	100 H	89
2N4854	CE	0.3	A	40	0	0.6	100	150	m	200	8.0	60	350		8.0	1000 H	654
2N5794	NG	0.5	A	40	0	0.6	100	150	m	200	8.0	45	310	0.3	10	150 m	654

Some columns show 2 different types of data indicated by either bold or italic typefaces. See key and headings.

